

§ 35.215

when clearance is achieved in accordance with 40 CFR 745.227. Where abatement of lead-based paint hazards is not completed before the closing of the sale, the Federal agency shall be responsible for assuring that abatement is carried out by the purchaser before occupancy of the property as target housing and in accordance with 40 CFR 745.227.

§ 35.215 Disposition of residential property constructed after 1959 and before 1978.

The Federal agency shall conduct a risk assessment and a lead-based paint inspection in accordance with 40 CFR 745.227. Evaluation shall be completed before closing of the sale according to a schedule determined by the Federal agency. The results of the risk assessment and lead-based paint inspection shall be made available to prospective purchasers as required in subpart A of this part.

Subpart D—Project-Based Assistance Provided by a Federal Agency Other Than HUD

SOURCE: 64 FR 50209, Sept. 15, 1999, unless otherwise noted.

§ 35.300 Purpose and applicability.

The purpose of this subpart D is to establish procedures to eliminate as far as practicable lead-based paint hazards in a residential property that receives more than \$5,000 annually per project in project-based assistance on or after September 15, 2000, under a program administered by a Federal agency other than HUD.

§ 35.305 Definitions and other general requirements.

Definitions and other general requirements that apply to this subpart are found in subpart B of this part.

§ 35.310 Notices and pamphlet.

(a) *Notice.* A notice of evaluation or hazard reduction shall be provided to the occupants in accordance with § 35.125.

(b) *Lead hazard information pamphlet.* The owner shall provide the lead haz-

24 CFR Subtitle A (4–1–04 Edition)

ard information pamphlet in accordance with § 35.130.

§ 35.315 Risk assessment.

Each owner shall complete a risk assessment in accordance with 40 CFR 745.227(d). Each risk assessment shall be completed in accordance with the schedule established by the Federal agency.

§ 35.320 Hazard reduction.

Each owner shall conduct interim controls consistent with the findings of the risk assessment report. Hazard reduction shall be conducted in accordance with subpart R of this part.

§ 35.325 Child with an environmental intervention blood lead level.

If a child less than 6 years of age living in a federally assisted dwelling unit has an environmental intervention blood lead level, the owner shall immediately conduct a risk assessment in accordance with 40 CFR 745.227(d). Interim controls of identified lead-based paint hazards shall be conducted in accordance with § 35.1330. Interim controls are complete when clearance is achieved in accordance with § 35.1340. The Federal agency shall establish a timetable for completing risk assessments and hazard reduction when an environmental intervention blood lead level child is identified.

Subpart E [Reserved]

Subpart F—HUD-Owned Single Family Property

SOURCE: 64 FR 50209, Sept. 15, 1999, unless otherwise noted.

§ 35.500 Purpose and applicability.

The purpose of this subpart F is to establish procedures to eliminate as far as practicable lead-based paint hazards in HUD-owned single family properties that have been built before 1978 and are sold with mortgages insured under a program administered by HUD. The requirements of this subpart apply to any such residential properties offered for sale on or after September 15, 2000.